



# KELSEY PD UNITS

## RACKMOUNT POWER DISTRIBUTION

Kelsey's rackmount power distribution units provide an elegant solution for fast power distribution in stage, studio and touring environments



Available 'off the shelf' in four models, each model features MCB protection, AC supply status and plenty of outlets for the most demanding applications.



The rugged 2U steel casing make these units extremely durable yet quick and simple to install. All units are fitted with a 13A outlet on the front panel with either 10A IEC or 13A outlets on the rear panel. With a choice of 16A or 32A ceeform input you'll find a model to suit your requirements.



Fuzion Plc - 9 Lyon Road - Walton on Thames - Surrey - KT12 3PU  
T: +44 (0)1932 88 22 22 - F: +44 (0)1932 88 22 44  
sales@fuzion.co.uk - [www.fuzion.co.uk](http://www.fuzion.co.uk)



# KELSEY PD UNITS

## RACKMOUNT POWER DISTRIBUTION

### FEATURES

- Power input: 16A or 32A ceeform with 'loop out' allowing quick connection and daisy-chaining of units.
- LED status indicators to signal 'all correct' or warn of possible earth, neutral or live/neutral reversal faults (especially useful in unfamiliar venues or during setups).
- LED indicators feature a switch to take them out of circuit to disconnect them from ground when PAT testing.
- MCB 'over-current' trip protects both link out and distributed outlets and allows fast restoration of power in the event of overload. Also allows racks to be powered up or isolated individually.

### WHICH PD?

The choice of PD unit depends on application, current requirements and available supply: for example a 32A unit is not be suitable if only a 13A mains outlet is available.

- The PD20 suits effects and processing racks which usually contain a number of low current devices, having 20 x ganged IEC outlets (maximum load 10A).
- The PD7, with its 7 x 13A outlets, suits heavier current applications such as amplifier racks (maximum load 16A or 32A dependant on input breaker).

### SPECIFICATIONS

	PD7/16	PD7/32	PD20/16	PD20/32
Input & link CEEFORM	16A	32A	16A	32A
Circuit Breaker	16A	32A	16A	32A
Output Protection	Common 10A MCB			
Rear Panel outlets	7 x 13A outlets		20 x 10A IEC	
Front Panel Connector (all units)	1 x 13A outlet			
Supply Status Indications	L-N Reverse, Earth Fault & Normal			
Dimensions (HxWxD)	88 x 485 x 80 mm (excluding ceeforms)			
Depth including Ceeforms	16A: 133 mm		32A: 146 mm	
Weight	2.9 kg			

E. & O.E. Specifications and design subject to change without notice

### CUSTOM PDS

Kelsey's manufacturing team can design and build a wide range of custom power distribution units to suit your specific requirements. Please call for further information.



PD7 Rear Panel



PD20 Rear Panel

Fuzion Plc - 9 Lyon Road - Walton on Thames - Surrey - KT12 3PU

T: +44 (0)1932 88 22 22 - F: +44 (0)1932 88 22 44

sales@fuzion.co.uk - [www.fuzion.co.uk](http://www.fuzion.co.uk)